

cation to this court to have the re-survey adopted for controlling reservoir capacities, under which the allocation of water shall be made as herein provided. Upon the filing of any such application, the court shall fix the time for hearing and give notice thereof to all owners of both reservoirs; upon the hearing, any owner of either reservoir may be heard, and the court shall, if such re-survey be found to be correct, by order adopt the same as controlling the capacity of the reservoir or reservoirs for the allocation of waters hereunder; provided, however, that such re-surveys for control purposes may not be made oftener than once every five years. As of May 8, 1933, and hereafter until modified by order of this court, the capacity of said Sevier Bridge Reservoir shall be determined in accordance with the following capacity table:

CAPACITY TABLE

Con- tour	Area at Contour Acres	Capacity Between Contours Acre Feet	Capacity at Contour Acre Feet
6	0	5	0
7	10	40	5
8	70	86	45
9	102	115	131
10	128	148	246
11	169	523	394
12	540	571	917
13	602	637	1488
14	672	711	2125
15	750	778	2836
16	805	828	3614
17	850	872	4442
18	894	920	5314
19	946	968	6234
20	990	1015	7202
21	1040	1065	8217
22	1090	1123	9282
23	1156	1187	10405
24	1218	1244	11592
25	1270	1314	12836
26	1359	1398	14150
27	1436	1479	15548
28	1522	1552	17027
29	1582	1625	18579
30	1668	1692	20204
31	1717	1742	21896
32	1766	1790	23638
33	1814	1838	25428
34	1862	1888	27266
35	1915	1950	29154
36	1985	2018	31104