



A PROFESSIONAL  
LAW CORPORATION

Salt Lake City • Las Vegas • Reno

201 South Main Street  
Suite 1800  
Salt Lake City, Utah 84111  
Telephone 801.532.1234  
Facsimile 801.536.6111

Dallin W. Jensen

Direct Dial  
(801) 536-6770  
E-Mail  
DJensen@parsonsbehle.com

November 3, 2008

**HAND DELIVERED**

Jerry D. Olds  
Utah Division of Water Resources  
1594 West North Temple  
Salt Lake City, UT 84114


**RECEIVED**  
NOV 03 2008 TO  
WATER RIGHTS  
SALT LAKE

**Re: Draft Administrative Rule R655-16**

Dear Mr. Olds:

This letter is written in response to the draft Rule R655-16 which deals with the "Administrative Procedures for Defining Beneficial Uses for Supplemental Water Rights." This firm represents a number of public water suppliers including the Washington County Water Conservancy District, Bear River Water Conservancy District and the Kane County Water Conservancy District ("Public Water Suppliers"). Based upon proposed Rules R655-16-7 and the information furnished by your office at the September 16 hearing, we understand that the exception provided for in R655-16-7(4) will be further clarified with respect to Public Water Suppliers. A Public Water Supplier should not be required to make a sole supply/supplemental evaluation of its existing water rights when administrative action is taken by the State Engineer. For example, this exception should make clear that a change application by a Public Water Supplier on one or more of its existing water rights, within the Public Water Supplier's service area for public use, will not require a sole supply/supplemental evaluation of the Public Water Suppliers water rights portfolio. This is so because all of the Public Water Suppliers' water rights are considered to be used in conjunctively and are all part of the Public Water Suppliers group. This being the case it is our position that this exception should be revised and clarified accordingly.

Sincerely,



Dallin W. Jensen

DWJ/rls

cc: Ronald W. Thompson  
Voneene Jorgensen  
Mike Noel